



# PROLINE HEAVY DUTY, INC

108 Industrial Park Rd. Alexandria, TN 37012 USA  
 PH: (615) 529-2727 FX: (615) 529-1150 EMAIL: [alex@prolinehd.net](mailto:alex@prolinehd.net)

## 2010 CATALOG OFFERING

| ProLine #         | BENDIX | SPRING BRAKES   |  |
|-------------------|--------|---|--|
| PLBTS-3030        |        | Type 3030 OEM Sealed spring brake   |  <p>MADE IN USA</p> |
| PLBTS-2024        |        | Type 2024 OEM Sealed spring brake   |  |
| PLBTS-2424        |        | Type 2424 OEM Sealed spring brake   |  |
| PLBTS-2424LS      |        | Type 2424 OEM Sealed Long Stroke spring brake                               |  |
| PLBTS-2430        |        | Type 2430 OEM Sealed spring brake   |  |
| PLBTS-2430LS      |        | Type 2430 OEM Sealed Long Stroke spring brake                               |  |
| PLBTS-3030LS      |        | Type 3030 OEM Sealed Long stroke spring brake                               |  |
| PLBTS-3030XLS     |        | Type 3030 Long Stroke with Long Shaft                                       |  |
| PLBTS-3030X       |        | 3030 Intraxx 13" Rod  |  |
| PLBTS-3036        |        | Type 3036 OEM Sealed spring brake   |  |
| PLBTS-3636        |        | Type 3636 OEM Sealed Spring Brake   |  |
| PLBTS-3030-4.5 BC |        | 3030 Sealed w/ 4.5 rod/Dust Boot/Clevis (Mack)                              |  |
| PL3030-WCR        |        | Type 3030 Welded Clevis Replacement   |  |
| PL3030LS-WCR      |        | Type 3030 Longstroke Welded Clevis Replacement                              |  |
|                   |        |   | MADE IN USA  |
| ProLine #         | OEM #  | PIGGYBACKS  |  |
| PLBPS-3030        |        | Type 3030 piggyback   |                    |
| PLBPS-3030K       |        | Type 3030 piggyback kit w/ 1 diaphragm, 2 clamps, and installation hardware |  |
| PLBPS-3030KLS     |        | Type 3030 Long stroke kit   |  |
| PLBPS-2024        |        | Type 2024 Piggyback   |  |
| PLBPS-3636        |        | Type 3636 Piggyback   |  |
| PLBPS-3036        |        | Type 3036 Piggyback   |  |
| ProLine #         | OEM #  | SERVICE CHAMBERS  |  |
| PLBSC-36          |        | Type 36 Service Chamber   |                   |
| PLBSC-30LS        |        | TYPE 30 Service Chamber (LONG STROKE)                                       |  |
| PL30SC-WCR        |        | Type 30 Service Chamber (Welded Clevis Replacement)                         |  |
| PLBSC-30          |        | Type 30 Service Chamber   |  |
| PLBSC-24          |        | Type 24 Service chamber   |  |
| PLBSC-20          |        | Type 20 Service chamber   |  |
| PLBSC-16          |        | Type 16 Service Chamber   |  |
| PLBSC-12          |        | Type 12 Service Chamber   |  |
| PLBSC-09          |        | Type 9 Service Chamber  |  |
| ProLine #         | OEM #  | DIAPHRAGMS  |  |
| PL-D-36           |        | Type 36 diaphragm   |                   |
| PL-D-30           |        | Type 30 diaphragm   |  |
| PL-D-303          |        | Type 30 Long Stroke diaphragm ( 3" )  |  |
| PL-D-24           |        | Type 24 diaphragm   |  |
| PL-D-243          |        | Type 24 Long Stroke diaphragm   |  |
| PL-D-20           |        | Type 20 diaphragm   |  |
| PL-D-16           |        | Type 16 diaphragm   |  |
| PL-D-12           |        | Type 12 diaphragm   |  |
| PL-D-9            |        | Type 9 diaphragm  |  |














| ProLine # | OEM # | BRAKE CHAMBER COMPONENTS                                    |   |
|-----------|-------|---|---|
| PL-30DB   |       | Dust Boot   |          |
| PL006     |       | Type 30 return spring                                       |          |
| PL30PS    |       | Type 30 Power spring  |          |
| PL009     |       | Carriage bolt&nut 3/8"-16 (Attaches Clamps to Chamber)      |  |
| PL010     |       | Jam Nut 5/8"-18 (Attaches end of push rod for clevis mount) |  |
| PL-30DC   |       | Dust Caps (Black cap that attaches to bottom of chamber)    |          |
| PL008     |       | T-Bolt Assembly set (1-Washer, T-bolt, T-bolt nut)          |          |
| PL-9PR    |       | T-9 PUSH ROD  |         |
| PL-12PR   |       | T-12 PUSH ROD   |   |
| PL-16PR   |       | T-16 PUSH ROD   |   |
| PL-20PR   |       | T-20 PUSH ROD   |   |
| PL034     |       | T-30 PUSH ROD   |   |
| PL033     |       | T-24 PUSH ROD   |   |
| PL-36PR   |       | T-36 PUSH ROD   |   |
| PL-9NPH   |       | T-9 NON PRESSURE "STUD" HOUSING                             |   |
| PL-12NPH  |       | T-12 NON PRESSURE "STUD" HOUSING                            |   |
| PL-16NPH  |       | T-16 NON PRESSURE "STUD" HOUSING                            |   |
| PL-20NPH  |       | T-20 NON PRESSURE "STUD" HOUSING                            |   |
| PL-24NPH  |       | T-24 NON PRESSURE "STUD" HOUSING                            |   |
| PL020     |       | T-30 NON PRESSURE "STUD" HOUSING                            |   |
| PL-36NPH  |       | T-36 NON PRESSURE "STUD" HOUSING                            |   |
| PL-9SCC   |       | T-9 SERVICE PRESSURE HOUSING                                |        |
| PL-12SCC  |       | T-12 SERVICE PRESSURE HOUSING                               |   |
| PL-16SCC  |       | T-16 SERVICE PRESSURE HOUSING                               |   |
| PL-20SCC  |       | T-20 SERVICE PRESSURE HOUSING                               |   |
| PL-24SCC  |       | T-24 SERVICE PRESSURE HOUSING                               |   |
| PL042     |       | T-30 SERVICE PRESSURE HOUSING                               |   |
| PL-36SCC  |       | T-36 SERVICE PRESSURE HOUSING                               |   |
| PL9CK     |       | T-09 CLAMP KIT (carriage bolts, nuts, clamps)               |   |
| PL12CK    |       | T-12 CLAMP KIT (carriage bolts, nuts, clamps)               |   |
| PL16CK    |       | T-16 CLAMP KIT (carriage bolts, nuts, clamps)               |   |
| PL20CK    |       | T-20 CLAMP KIT (carriage bolts, nuts, clamps)               |   |
| PL016     |       | T-24 CLAMP KIT (carriage bolts, nuts, clamps)               |   |
| PL053     |       | T-30 CLAMP KIT (carriage bolts, nuts, clamps)               |   |
| PL36CK    |       | T-36 CLAMP KIT (carriage bolts, nuts, clamps)               |   |
|           |       |   |   |
|           |       |   |   |
|           |       |   |   |
|           |       |   |   |











| ProLine #  | OEM #     | CLEVIS ASSEMBLIES                                  |   |
|------------|-----------|--|---|
| PL-30CL    |           | Standard: Clevis Assembly 1/2"x5/8"                |    |
| PL-30CL5/8 |           | 5/8"x5/8" Clevis Assembly                          |   |
| PL-30CL1/2 |           | 1/2" x 1/2" Forged Clevis Assembly                 |   |
| PL-1/2PIN  |           | 1/2" DIA. PIN FOR CLEVIS                           |    |
| PL-5/8PIN  |           | 5/8" DIA. PIN FOR CLEVIS                           |   |
| ProLine #  | Haldex    | AUTO SLACK ADJUSTER: HALDEX STYLE                  |   |
| PL-10212   | 400-10212 | 1 1/2" - 28 Spline 6.0"                            |    |
| PL-10214   | 400-10214 | 1 5/8" - 37 Spline 6.0"                            |   |
| PL-10216   | 400-10216 | 1 1/2" - 10 spline 6.0"                            |   |
| PL-10305   | 400-10305 | 1 1/2" - 28 Spline 6.0" ( 35 degree casting angle) |   |
| PL-10144   | 400-10144 | 1 1/2" - 28 Spline 6.0" ( 16 degree casting angle) |   |
| PL-10211   | 400-10211 | 1 1/2" - 28 Spline 5.5"                            |   |
| PL-10215   | 400-10215 | 1 1/2" - 10 Spline 5.5"                            |   |
| PL-10141   | 400-10141 | 1 1/2" - 28 Spline 5.5 / 6.5"                      |   |
| PL-10143   | 400-10143 | 1 1/2" - 10 Spline 5.5 / 6.5"                      |   |
| PL-10142   | 400-10142 | 1 1/2" - 10 Spline 5.0 / 6.0"                      |   |
| PL-10140   | 400-10140 | 1 1/2" - 28 Spline 5.0 / 6.0"                      |   |
| ProLine #  | Bendix#   | AUTO SLACK ADJUSTER: BENDIX STYLE                  |   |
| PL-65167   | 65167     | 1 1/4" - 24 spline 5.5"                            |   |
| PL-65170   | 65170     | 1 1/2" - 10 spline 5.5"                            |   |
| PL-65172   | 65172     | 1 1/2" - 10 spline 6.0"                            |   |
| PL-65174   | 65174     | 1 1/2" - 28 spline 5.5"                            |   |
| PL-65175   | 65175     | 1 1/2" - 28 spline 6.0"                            |   |
| PL-65176   | 65176     | 1 1/2" - 28 spline 6.0"                            |   |
| PL-65177   | 65177     | 1 5/8" - 37 Spline 6.0"                            |   |
| ProLine #  | Crewson # | AUTO SLACK ADJUSTER: CREWSON NON AUTO              |   |
| PL-21102   | CI21102   | 1 1/2"-10 spline 5.5" / 6.5"                       |  |
| PL-21103   | CI21103   | 1 1/2"-10 spline 5.0" / 6.0"                       |   |
| PL-22102   | CI22102   | 1 1/2"-28 spline 5.5" / 6.5"                       |   |
| PL-22103   | CI22103   | 1 1/2"-28 spline 5.0" / 6.0"                       |   |
| PL-23102   | CI23102   | 1 5/8" - 37 spline 5.5" / 6.5"                     |   |
| PL-23103   | CI23103   | 1 5/8" - 37 spline 5.0" / 6.0"                     |   |
| PL-23106   | CI23106   | 1 5/8"-37 spline 6.0"                              |   |
| PL-24103   | CI24103   | 1 1/4" - 10 spline 5.0" / 6.0"                     |   |
| PL-25100   | CI25100   | 1 1/4" - 24 spline 5.5"                            |   |
| PL-25102   | CI25102   | 1 1/4" - 24 spline 5.5" / 6.5"                     |   |
| PL-25103   | CI25103   | 1 1/4" - 24 spline 5.0" / 6.0"                     |   |
| PL-22152   | CI22152   | Curved Arm 1 1/2" - 28 spline 5.5" / 6.5"          |   |
| PL-24100   | CI24100   | 1 1/4" - 10 spline 5.5"                            |   |
| PL-35100   | CI35100   | (T 20/24) 1 1/4" - 24 spline 5.5"                  |   |
| PL-34200   | CI34200   | (T 16) 1 1/4" - 10 spline 5.5"                     |   |
| PL-35200   | CI35200   | (T 16) 1 1/4" - 24 spline 5.5"                     |   |
| PL-22153   | CI22153   | Curved Arm 1 1/2"-28 spline 5.0" / 6.0"            |   |
| PL-21152   | CI21152   | (Curved Arm) 1 1/2" - 10 spline 5.5" / 6.5"        |   |
| PL-21153   | CI21153   | (Curved Arm) 1 1/2" - 10 spline 5.0" / 6.0"        |   |
| PL-411A6   | CI411A6   | (Severe Duty) 1 1/2" - 10 spline 6.0"              |   |

| ProLine #  | Crewson # | AUTO SLACK ADJUSTER: CREWSON AUTO CHECK            |   |
|------------|-----------|--|---|
| PL-421A6   | CI421A6   | (Severe Duty) 1 1/2" - 28 spline 6.0"              |    |
| PL-221E2LH | CI221E2LH | (Severe Duty) 1 1/2" - 28 spline 5.5" / 6.5"       |   |
| PL-221E2RH | CI221E2RH | (Severe Duty) 1 1/2" - 28 spline 5.5" / 6.5"       |   |
| PL-221E6LH | CI221E6LH | (OFFSET) 1 1/2" - 28 spline 6.0"                   |   |
| PL-221E6RH | CI221E6RH | (OFFSET) 1 1/2" - 28 spline 6.0"                   |   |
| PL-41100   | CI41100   | 1 1/2"-10 spline 5.5"                              |   |
| PL-41106   | CI41106   | 1 1/2"-10 spline 6.0"                              |   |
| PL-42100   | CI42100   | 1 1/2"-28 spline 5.5"                              |   |
| PL-42106   | CI42106   | 1 1/2"-28 spline 6.0"                              |   |
| PL-43100   | CI43100   | 1 5/8"-37 spline 5.5"                              |   |
| PL-43106   | CI43106   | 1 5/8"-37 spline 6.0"                              |   |
| PL-41706   | CI41706   | 1 1/2"- 10 SPLINE, 6.0", W/ EXT 8480KTA CLEVIS     |   |
| PL-42700   | CI42700   | 1 1/2" - 28 spline 5.5", (W/ 8480 KTA EXT. CLEVIS) |   |
| PL-42706   | CI42706   | 1 1/2" - 28 spline 6.0" (w/ 8480KTA Ext. Clevis)   |   |
| ProLine #  | Crewson # | CLEVIS KITS FOR CREWSON AUTO SLACKS                |   |
| PL-8420KT  | 8420KT    | 5/8 - 18 STRAIGHT                                  |   |
| PL-8410KT  | 8410KT    | 1/2 - 20 STRAIGHT                                  |   |
| PL-8415KT  | 8415KT    | 1/2 - 20 OFFSET                                    |   |
| PL-8425KT  | 8425KT    | 5/8 - 18 OFFSET                                    |   |
| PL-8480KT  | 8480KT    | 5/8 - 18 EXT STRAIGHT                              |   |
| PL-8420KTA | 8420KTA   | 5/8 - 18 AUTO CHECK                                |   |
| PL-8410KTA | 8410KTA   | 1/2 - 20 STRAIGHT                                  |   |
| PL-8425KTA | 8425KTA   | 5/8 - 18 OFFSET                                    |   |
| PL-8480KTA | 8480KTA   | 5/8 - 18 EXT STRAIGHT AUTO CHECK                   |   |
| PL-8120KT  | 8120KT    | 5/8 - 18 (OLD STYLE)                               |   |
| PL-8056KT  | 8056KT    | Pin Kit / Crewson KT Clevis                        |   |
| PL-8056KTA | 8056KTA   | Pin Kit / Crewson KTA Clevis                       |   |
| ProLine #  | Meritor   | AUTO SLACK ADJUSTER: Rockwell / MERITOR STYLE      |   |
| PLR801001  | R801001   | 1 1/4" - 10 SPLINE 5.5" (TYPE 16)                  |  |
| PLR801002  | R801002   | 1 1/4" - 24 SPLINE 5.5" (TYPE 16)                  |   |
| PLR801003  | R801003   | 1 1/4" - 24 SPLINE 5.5" (TYPE 16, 20))             |   |
| PLR801041  | R801041   | 1 1/2" - 10 SPLINE 5.5" (TYPE 24, 30)              |   |
| PLR801042  | R801042   | 1 1/2" - 10 SPLINE 6.0" (TYPE 30)                  |   |
| PLR801072  | R801072   | 1 1/2" - 28 SPLINE 5.5" (TYPE 20,24,36 DRUM)       |   |
| PLR801073  | R801073   | 1 1/2" - 28 SPLINE 5.5" (TYPE 24, 30)              |   |
| PLR801074  | R801074   | 1 1/2" - 28 SPLINE 6.0" (TYPE 24, 30)              |   |
| PLR801101  | R801101   | 1 5/8" - 37 SPLINE 5.5" (TYPE 24, 30)              |   |
| PLR801102  | R801102   | 1 5/8" - 37 SPLINE 6.0" (TYPE 30)                  |   |
| PLR801079  | R801079   | 1 1/2" - 28 SPLINE 5.5" (TYPE 16, 20)              |   |
| ProLine #  | Gunite #  | AUTO SLACK ADJUSTER: GUNITE STYLE                  |   |
| PL-AS3000  | AS3000    | GUNITE CLEVIS KIT                                  |  |
| PL1131     | AS1131    | GUNITE AUTO SLACK 1.5" - 10 SPLINE 5.0"            |   |
| PL1132     | AS1132    | GUNITE AUTO SLACK 1.5" - 10 SPLINE 5.5"            |   |
| PL1133     | AS1133    | GUNITE AUTO SLACK 1.5" - 10 SPLINE 6.0"            |   |
| PL1134     | AS1134    | GUNITE AUTO SLACK 1.5" - 10 SPLINE 6.5"            |   |
| PL1139     | AS1139    | GUNITE AUTO SLACK 1.5" - 28 SPLINE 5.0"            |   |
| PL1140     | AS1140    | GUNITE AUTO SLACK 1.5" - 28 SPLINE 5.5"            |   |
| PL1141     | AS1141    | GUNITE AUTO SLACK 1.5" - 28 SPLINE 6.0"            |   |
| PL1142     | AS1142    | GUNITE AUTO SLACK 1.5" - 28 SPLINE 6.5"            |   |
| PL1144     | AS1144    | GUNITE AUTO SLACK 1 5/8" - 37 SPLINE 6.0"          |   |
| PL1138     | AS1138    | GUNITE AUTO SLACK 1 1/4 - 24 SPLINE 5.5"           |   |




| ProLine #   | Bendix #       | Manual Slack Adjusters   |   |
|-------------|----------------|--|---|
| PL-278323   | 278323         | 1 1/2"-10 spline 5,6,7 holes                                       |    |
| PL-278321   | 278321         | 1 1/2"-10 spline 5.5", 6.5"  |   |
| PL-288282   | 288282         | 1 1/2"-28 spline 5,6,7 holes                                       |   |
| PL-288753   | 288753         | 1 1/2"-28 spline 5.5", 6.5"  |   |
| PL-283411   | 283411         | 1 5/8"-37 spline 6.0"  |   |
| PL-278302   | CA4201         | 1 1/4" -10 spline 4.5", 5.5"                                       |   |
| PL-278303   | CA4200         | 1 1/4" - 10 spline 5,6,7 holes                                     |   |
| PL-5201     | Crewson 5201   | 1 1/4" - 24 spline 5.5", 6.5"                                      |   |
| ProLine #   | Bendix #       | GLADHANDS  |   |
| PL-11450    | 275150         | Universal Gladhand (Aluminum)                                      |    |
| PL-11451    | 278524         | Emergency (RED) Aluminum   |   |
| PL-11452    | 278850         | Service (BLUE) Aluminum  |   |
| PL-441019   | Sloan: 441019  | 37 1/2 Deg Bracket Mount G.H.(Emer.Red), 3/8" Ports, Pipe Plug     |   |
| PL-441023   | Sloan: 441023  | 37 1/2 Deg Bracket Mount G.H.(Service Blue), 3/8" Ports, Pipe Plug |   |
| PL-035095   | Velvac: 035095 | SHUT OFF G.H Emergency (RED) 1/4" NPT Port, 1"-14 Mount Stud       |   |
| PL-035094   | Velvac: 035094 | SHUT OFF G.H Service (Blue) 1/4" NPT Port, 1"-14 Mount Stud        |   |
| PL035007    | 35007          | Rubber Seal  |   |
| PL035005    | 35005          | Gladhand Seal, Rubber, compress style                              |   |
| PL035009    | 35009          | Gladhand Seal, Red, Polyurethane                                   |   |
| PL035010    | 35010          | Gladhand Seal, Blue, Polyurethane                                  |   |
| PL035070    | 35070          | Glad Grip, a pair (Blue and Red)                                   |   |
| ProLine #   | Stemco #       | HUB CAPS   |   |
| PL-343-4009 | 343-4009       | Alum 6 hole w/ the plug  |  |
| PL-340-4975 | 340-4975       | Plastic FRUEHAUF (PROPAR) w/ o-ring                                |   |
| PL-330-3009 | 330-3009       | Universal Hub Cap Gasket   |   |
| PL-359-5990 | 359-5990       | Vent Plug for PL-343-4009 Hub Cap                                  |   |
| ProLine #   | Bendix #       | AIR DRYERS   |   |
| PL-109685   | 109685         | Air Dryer (Replaces Bendix 109865 Out Right/No Core)               |  |
| PL-109869   |                | AD-9 Dryer Wiring Harness  |   |
| PL-107695   |                | AD-9 Dryer Mounting Brackets                                       |   |
| PL-109994   | 109994         | AD-9 Dryer Cartridge Kit (NEW) WABCO                               |   |
| PL-107794   | 107794         | AD-9 Dryer Cartridge Kit (NEW)                                     |   |
| PL-104358   | 104358         | AD-4 Dryer Cartridge Kit (NEW)                                     |   |
| PL216560    |                | AD-IP AIR DRYER: (No Mounting Bracket)                             |   |
| PL5001247   |                | AD-IP MOUNTING BRACKET ONLY  |   |
| PL109495    |                | AD-IP HEATER & THERMOSTAT  |   |
| PL109871    |                | AD-IP WIRING HARNESS   |   |

| ProLine # | OEM #                   | AIR VALVES   |   |
|-----------|-------------------------|--|---|
| PL-18530  | 18530                   | <b>D-2 Governor</b> - Range 100-120 psi (Adjustable) All Ports 1/8" NPT  |    |
| PL-281923 | 281923                  | <b>DV-2 Automatic Drain Valve</b> - Incl. Filter/Adapter for 1/4" NPH Mount  |    |
| PL-1000   | A1000 Sealco            | <b>Emergency Relay Valves (SEALCO)</b> - Supply Port (1) 1/2" NPT, Delivery Ports (4) 1/4" NPT, Control Ports (2) 1/4" NPT, Emergency Supply (1) 1/4" NPT    |    |
| PL-110200 | 110200 Sealco           | <b>Emergency Relay Valves (SEALCO)</b> -Ratio Feature  |   |
| PL-281865 | 281865 / 281860         | <b>RE-6 Emergency Relay Valve</b>  |   |
| PL-30400  | KN30400 / A71890 sealco | <b>EMERGENCY RELAY VALVES:</b> Supply Port (1) 3/4" NPT, Delivery Ports (4) 3/8" NPT, Service Port (1) 1/4" NPT, 4.5psi crack pressure                       |    |
| PL-28510  | KN28510                 | <b>RG-2 Relay Valve</b> - Supply (1) 3/8" NPT / Delivery (1) 1/2" NPT / Service (2) 3/8" NPT / Control (1) 1/4" NPT / 5-6 psi crack pressure                 |   |
| PL-28500  | KN28500                 | <b>RG-2 Relay Valve</b> - Supply (2) 3/8" NPT / Delivery (2) 3/8" NPT / Control (1) 1/4" NPT / 5-6 psi crack pressure  |   |
| PL-28520  | KN28520                 | <b>RG-2 Relay Valve</b> - Supply (2) 1/2" NPT / Delivery (2) 1/2" NPT / Control (1) 1/4" NPT / 5-6 psi crack pressure  |   |
| PL-279180 | 279180 / 280375         | <b>R-6 Relay Valve</b> - Supply Port (1) 1/2" NPT<br>Delivery Port (4) 3/8" NPT<br>Service Port (1) 1/4" NPT   |    |
| PL-286370 | 286370 / 286371         | <b>R-8 Relay Valve</b> - Supply Ports (2) 3/4" NPT<br>Delivery Ports (2) 1/2" NPT<br>Service Port (1) 1/4" NPT   |   |
| PL-102626 | 102626 / 102166         | <b>R-12 Relay Valve</b> - Supply Port (1) 1/2" NPT<br>Delivery Ports (4) 1/2" NPT<br>Service Port (1) 1/4" NPT<br>4 psi crack pressure                       |  |
| PL-103009 | 103009                  | <b>R-12H Relay Valve</b> - Supply Port (2) 3/4" NPT<br>Delivery Ports (2) 1/2" NPT<br>Service Port (1) 1/4" NPT<br>4 psi crack pressure                      |   |
| PL-103028 | 103028                  | <b>R-14 Relay Valve</b> - Supply Port (1) 1/2" NPT, Delivery Ports (4) 1/2" NPT, Service Ports (1) 1/4" NPT, Balance Port (1) 1/8" NPT, 4 psi crack pressure |  |
| PL-103010 | 103010                  | <b>R-14H Relay Valve</b> - Supply (2), 3/4" NPT, Delivery (2) 1/2" NPT, Service (1) 1/4" NPT, Balance (1) 1/8" NPT, 4 psi crack pressure                     |   |
| PL-65145  | 65145                   | <b>BP-R1 Bobtail / Brk A/M (NEW)</b>   |  |
| PL-277863 | 277863                  | <b>E-3 Foot Valve</b> - Supply (2) 1/2" NPT, Aux. Supply (2) 1/4" NPT, Delivery (4) 1/2" NPT   |  |
| PL-286171 | 286171                  | <b>E-6 Foot Valve</b> - Supply (4) 3/8" NPT, Delivery (4) 3/8" NPT   |   |


| ProLine # | OEM #            | AIR VALVES CONTINUED   |   |
|-----------|------------------|--|---|
| PL-284760 | 284760           | <b>E-7 Brake Valve</b> - Firewall Mtd (Ford), Dual Circuit Valve   |    |
| PL-28600  | KN28600          | <b>FF-2 Full Function Trailer Valve</b> - Supply (1) 3/8" NPT, Control (1) 1/4" NPT, Reservoir (1) 3/4" NPT, Service (4) 3/8" NPT, Emergency (2) 3/8" NPT, 3 psi crack pressure, 1/2" NPT Res. Port                      |    |
| PL-28601  | KN28601          | <b>FF-2 Full Function Trailer Valve</b> -  |   |
| PL-26000  | KN26000 / 110191 | <b>RT-4 Multi-function Trailer Valve</b> - Supply (2) 3/8" NPT, Delivery (4) 3/8" NPT, Control (1) 3/8" NPT, Reservoir (1) 1/2" NPT, Reservoir (1) 3/8" NPT, 55 psi closing pressure                                     |    |
| PL-286364 | 286364           | <b>SR-1 Spring Brake Valve</b> - All Port 1/4" NPT, Back Mounted 90-95 psi limited pressure  |    |
| PL-287376 | 287376           | <b>SR-2 Spring Brake Valve</b> - Supply, Trailer port (1) 1/4" NPT, Delivery (4) 3/8" NPT, Reservoir (2) 1/4" NPT, Reservoir Port (1) 3/4" NPT, Exhaust Port (1) 3/8" NPT  |   |
| PL-103061 | 103061           | <b>SR-2 Spring Brake Valve - 1/2" NPT S.B. Res. Port</b>   |   |
| PL-101112 | 101112           | <b>SR-4 Spring Brake Valve</b> - Supply, Trailer Port 91) 1/4" NPT<br>Service, Trailer Port 91) 1/4" NPT<br>Delivery Ports (4) 3/8" NPT<br>Reservoir (1) 3/4" NPT<br>Reservoir (1) 1/4" NPT<br>Exhaust Port (1) 3/8" NPT |    |
| PL-065437 | 065437 Bendix    | <b>SR-5 Spring Brake Valve</b> - Spring Brake Valve, 3/4" NPT S. B. Res. Port  |    |
| PL-279000 | 279000           | <b>TP-3 Tractor Protection Valve</b> - Service, Tractor (1) 3/8" NPT<br>Service, Trailer (1) 1/2" NPT<br>Emerg. Tractor (1) 1/4" NPT   |   |
| PL-284142 | 284142           | <b>ST-3 Safety Valve</b> - 150 psi crack pressure  |  |
| PL-101437 | 101437/KN20615   | <b>MV-2 Manifold Dash Valve</b> - Dash Control 1 piece   |  |
| PL-65157  | 65157 / 800516   | <b>MV-3 Manifold Dash Valve</b> - MV-3 Dash Control combination PP-1 and PP-7  |   |
| PL-290655 | 290655           | <b>PP-1 Push Pull (KNOB) (RED) w/ pin</b> -  |  |
| PL-248433 | 248433           | <b>PP-1 Push Pull (KNOB) (YELLOW) w/ pin</b>   |   |
| PL-290655 | 290655           | <b>PP-7 Push Pull (KNOB) (RED)</b>   |   |
| PL-276566 | 276566 / 275175  | <b>PP-1 Push Pull Valve</b> - Supply Port (1) 1/8" NPT<br>Delivery Ports (2) 1/8" NPT<br>Exhaust Port 91) 1/8" NPT<br>40 psi release   |  |
| PL-276462 | 276462           | <b>PP-2 Push Pull Valve</b> - Supply Port (1) 1/8" NPT<br>Delivery Ports(2) 1/8" NPT<br>Brake Valve Port (1) 1/8" NPT<br>40 psi release  |  |
| PL-288746 | 288746           | <b>PP-3 Push Pull Valve</b> - Supply (1) 1/8" NPT<br>Delivery (1) 1/4" NPT<br>Exhaust (1) 1/4" NPT<br>with AUTOMATIC TRIPPER   |  |

| ProLine #  | OEM #           | AIR VALVES CONTINUED   |   |
|------------|-----------------|--|---|
| PL-288239  | 288239 / 288721 | <b>PP-7 Push Pull Valve</b> - Supply (1) 1/8" NPT<br>Delivery (1) 1/8" NPT<br>Control Port (1) 1/8" NPT<br>40 psi release                              |    |
| PL-288241  | 288241 / 106113 | <b>PP-7 Push Pull Valve</b> - Supply (1) 1/8" NPT<br>Delivery (1) 1/4" NPT<br>Control Port (1) 1/8" NPT<br>Exhaust Port (1) 1/4" NPT<br>40 psi release |    |
| PL-287238  | 287238          | <b>PP-8 Push Pull Valve</b> - Supply (1) 1/8" NPT<br>Delivery (2) 1/8" NPT<br>Exhaust (1) 1/8" NPT<br>20 psi release                                   |    |
| PL-229635  | 229635 / 229617 | <b>TW-1 Control Valve</b> - Supply Port (1) 1/8" NPT<br>Delivery Ports (2) 1/8" NPT  |    |
| PL-14651R  | 14651           | <b>TW-1 Control Valve (EATON/FULLER)</b> - Supply Port (1) 1/8" NPT<br>Delivery Ports (2) 1/8" NPT   |  |
| PL-16859   | 16859           | <b>Countershaft Brake Valve (EATON/FULLER)</b> - All Port 1/8" NPT   |  |
| PL-A4041R  | A4041           | <b>Air Shift Valve (EATON/FULLER)</b> - Inlet Port (1) 1/4" NPT<br>Outlet Port (1) 1/4" NPT  |  |
| PL-A3546   | A3546           | <b>Transmission Valve (EATON/FULLER)</b> - Inlet port (1) 1/8" NPT<br>Outlet port (1) 1/8" NPT   |  |
| PL-19974   | 19974           | <b>Transmission Valve (EATON/FULLER)</b> - Direct replacement for 15512  |   |
| PL-A4487   | A4487           | <b>Transmission Selector Valve (EATON/FULLER)</b> - All Ports 1/16" NPT  |   |
| PL-A4490   | A4490           | <b>Transmission Selector Valve (EATON/FULLER)</b> - All Ports 1/16" NPT  |   |
| PL-A4491   | A4491           | <b>Transmission Selector Valve (EATON/FULLER)</b> - All Ports 1/16" NPT  |   |
| PL-A6918   | A6918           | <b>Transmission Selector Valve (EATON/FULLER)</b>  |   |
| PL-A6913   | A6913           | <b>Transmission Selector Valve (EATON/FULLER)</b>  |   |
| PL-A6909   | A6909           | <b>Transmission Selector Valve (EATON/FULLER)</b>  |   |
| PL-A6915   | A6915           | <b>Transmission Selector Valve (EATON/FULLER)</b>  |   |
| PL-A6910   | A6910           | <b>Transmission Selector Valve (EATON/FULLER)</b>  |   |
| PL-A4688   | A4688           | <b>Slave Valve (EATON/FULLER)</b> - Supply Ports (2) 1/8" NPT<br>Delivery Ports (1) 1/8" NPT<br>Control Port (1) 1/8" NPT                              |  |
| PL-A5000   | A5000           | <b>Slave Valve (EATON/FULLER)</b> - Supply (2) 1/8" NPT, Delivery (3) 1/8" NPT, Control (1) 1/8" NPT   |   |
| PL-228600  | 228600          | <b>SL-4 Stoplight Switch</b> - 1/4" NPT Normally open (0 psi) closes at 5 psi  |  |
| PL-6997324 | Cummins         | <b>Solenoid Valve</b> - Direct Replacement for Cummins, 24 Volt,<br>Cum:3035344, Cum:BM-69973-24   |  |
| PL-6997312 | Cummins         | <b>Solenoid Valve</b> - Direct Replacement For Cummins, 12 Volt,<br>Cum:3035342, Cum:BM-6997312  |   |


| ProLine #   | OEM #            | AIR VALVES CONTINUED   |   |
|-------------|------------------|--|---|
| PL-28237    | KN68237          | <b>Solenoid Valve</b> - 24 Volt, Supply (1) 1/4" NPT, Delivery (1) 1/4" NPT  |   |
| PL-228750   | 228750           | <b>LP-3 Low Pressure Switch</b> - 1/4" NPT double terminal normally closed (0 psi) opens at 60 psi                     |    |
| PL-279416   | 279416           | <b>LP-3 Low Pressure Switch</b> - 1/4" NPT Single terminal normally open (0 psi) closes at 60 psi                      |   |
| PL-229859   | 229859           | <b>QR-1 Valve</b> - Supply (1) 3/8" NPT, Delivery (2) 3/8" NPT   |   |
| PL-229860   | 229860           | <b>QR-1 Valve</b> - Supply (1) 1/2" NPT, Delivery (2) 3/8" NPT   |   |
| PL-289714   | 289714           | <b>QR1C Valve</b> - Supply (1) 1/4" NPT, Delivery (2) 3/8" NPT, Balance (1) 1/4" NPT                                   |    |
| PL-289182   | 289182           | <b>QR1C Valve</b> - Supply (1) 1/4" NPT, Delivery (2) 3/8" NPT, Balance (1) 1/4" NPT                                   |   |
| PL-289144   | 289144           | <b>LQ-4 Front Axle Ratio Valve</b> - Supply (1) 3/8" NPT, Delivery (1) 3/8"NPT, 60 psi equilizing pressure             |    |
| PL-23010    | 800375 / KN23010 | <b>SC-1 Check Valve</b> - Male Port (1) 3/8 NPT, Female Port (1) 3.8" NPT  |   |
| PL-23000    | 227788 / 227717  | <b>SC-1 Check Valve</b> - Male Port (1) 1/2" NPT, Female Port (1) 1/2" NPT   |    |
| PL-227870   | 227870           | <b>SC-3 Check Valve</b>  |   |
| PL-278614   | 278614           | <b>DC-4 Double Check Valve:</b> All Ports 3/8" NPT - All Ports 3/8" NPT  |   |
| PL-90054007 | 90054007         | <b>NEWAY Height control Leveling Valve</b> - Height Control Valve: All Port 1/8" NPT includes fittings, 6 second delay |    |
| PL-27000    | KN27000          | <b>Midland Height control Leveling Valve</b> - Height Control: All ports 1/4", 4 sec delay                             |   |
| PL-31070    | KN31070          | <b>Air Regulating Valve</b>  |    |
| PL-110170   | 110170           | <b>Spring Brake Control Valve</b>  |   |
| PL-110171   | 110171           | <b>Spring Brake Control Valve</b>  |   |
| PL-110191   | 110191           | <b>Spring Brake Control Valve</b>  |   |
| PL-110197   | 110197           | <b>Service Relay Valves</b>  |   |
| PL-110205   | 110205           | <b>Relay Emergency Valves</b>  |   |
| PL-110380   | 110380           | <b>Service Relay Valves (4 Delivery Ports)</b>   |  |
| PL-110570   | 110570           | <b>Control Line Valves</b>   |   |
| PL-110415   | 110415           | <b>Control Line Valve</b>  |   |
| PL-032082   | 32082            | <b>(Drainvalve) Pull Valve for Air Tank, w/ 5ft Cable</b>  |  |

| ProLine # | Industry # | UNIVERSAL JOINTS  |   |
|-----------|------------|---|---|
| PL279X    | 279X       | U-Joint 1610  |    |
| PL280XR   | 280 XR     | U-Joint 1710  |   |
| PL281X    | 281X       | U-Joint 1810  |   |
| PL469X    | 469X       | U-Joint 1760 1/2 Round  |   |
| PL675X    | 675X       | U-joint 1710 1/2 Round w/ straps                                  |   |
| PL676X    | 676X       | U-joint 1810 1/2 Round w/ straps                                  |   |
| PL5510    | 5510       | U-Joint   |   |
| PL5160X   | 5160X      | 1410 U-Joint  |   |
| PL5170X   | 5170X      | 1000 / P.T.O. U-Joint   |   |
| PL5407    | 5407       | U-Joint   |   |
| PL5155X   | 5155X      | 1500 U-Joint  |   |
| PL677X    | 5677X      | 1760 Series U-Joint   |   |
| PL5438    | 5438       | U-Joint   |   |
| PL5515    | 5515       | U-Joint   |   |
| ProLine # | Industry # | SECUREX STYLE WHEEL NUTS  |   |
| PL39631   | 39631      | (9/16"-18) 7/8 A/F, 11/16" high, bell washer, flangette hex       |  |
| PL39514   | 39514      | (M22X1.5) 38.1 mm A/F, 34.9 mm high, bell washer                  |   |
| PL39635   | 39635      | (7/8"-14) 1 5/16" A/F, 7/8" high, flat washer, sht strgt hex, bus |   |
| PL39669   | 39669      | (7/8"-14) 1 5/16" A/F, 11/16" high, hi washer, sht strgt hex, bus |   |
| PL39701   | 39701      | (M22X1.5) 27 mm high, flat washer, flangette hex                  |   |
| PL39708   | 39708      | (M20X1.5) 30mm A/F,27mm high,flat washer,flangette,steel wheel    |   |
| PL39724   | 39724      | (M20X1.5)30 mm A/F,27mm high,high washer,flangette,steel wheel    |   |
| PL39874   | 39874      | (M22X1.5) 27 mm high, flat washer, straight hex                   |   |
| PL39937   | 39937      | (9/16"-18) 11/16" A/F, 11/16" high, bell washer, straight hex     |   |
| PL39135   | 39135      | (M22x1.5) 31mm high, flat washer, flangette hex                   |   |
| PL29197   | 29197      | DECOREX Decorative Nut: Fits Std M22 X 1.5 Applications           |   |
| Proline # | EUCLID     | INNER-OUTER NUTS / WHEEL ATTACHING PARTS                          |   |
| PL6034    | E6034      | WHEEL STUD: CROSSES EUCLID E6034, BATCO 13-1572                   |  |
| PL6035    | E6035      | WHEEL STUD: CRSSSES EUCLID E6035, BATCO 13-1571                   |   |
| PL5977L   | E5977L     | OUTER NUT: CROSSES E5977L, BATCO 13-3012R/L                       |   |
| PL5977R   | E5977R     | OUTER NUT: CROSSES E5977R, BATCO 13-3012R/L                       |   |
| PL5988L   | E5988L     | INNER CAP NUT: CROSSES EUCLID E-5988L, BATCO 13-3026L             |   |
| PL5988R   | E5988R     | INNER CAP NUT: CROSSES EUCLID E-5988R, BATCO 13-3026R             |   |
| PL7895L   | E7895L     | INNER CAP NUT: CROSSES EUCLID E7895L, BATCO 13-3005R/L            |   |
| PL7895R   | E7895R     | INNER CAP NUT: CROSSES EUCLID E7895R, BATCO 13-3005R/L            |   |
| PL7896L   | E7896L     | INNTER NUT FOR STEEL AND ALUM OUTER WHEELS                        |   |
| PL7896R   | E7896R     | INNTER NUT FOR STEEL AND ALUM OUTER WHEELS                        |   |
| PL7897L   | E7897L     | INNER NUT: CROSSES EUCLID E-7896L, BATCO 13-3029R/L               |   |
| PL7897R   | E7897R     | INNER NUT: CROSSES EUCLID E7896R, BATCO 13-3029R/L                |   |

| ProLine #    | Haldex #      | ALCOHOL EVAPORATOR  |   |   |
|--------------|---------------|---|---|---|
| PL-A72420    | A72420        | Alcohol Evaporator/ 1/2" NPTF Ports/ Holds 40 OZ of Methyl Alcohol                      |   |    |
| ProLine #    | Industry #    | AIR HOSE ASSEMBLIES   |   |   |
| PL-451036N   |               | (15') Air Hose Assembly (1) Red/ (1) Blue, 2-12 Lead, 1/2" Lead O.D., Fitting Size 1/2" |   |    |
| ProLine #    | Vevac/Philips | Electrical Components   |   |   |
| PL590160     | 590160        | Coiled Electrical Cord, ABS (1x8 / 2x10 / 4x12),  | 12 ft, w/ 12 in lead, w/ plugs, Green   |    |
| PL590161     | 590161        | Coiled Electrical Cord, ABS (1x8 / 2x10 / 4x12),  | 15 ft, w/ 12 in lead, w/ plugs, Green ) |   |
| PL590154     | 590154        | Coiled Elec Cable, Econ, 12ft / 12" lead, w/plugs, black                                |   |   |
| PL590155     | 590155        | Coiled Elec Cable, Econ, 15ft / 12" lead, w/plugs, black                                |   |   |
| PL-15400     | 15-400        | 4-Way Electrical Socket (Female)  |   |    |
| PL-15430     | 15-430        | 4-Way Electrical Plug (Male)  |   |   |
| PL-15600     | 15-600        | 6-Way Electrical Socket (Female)  |   |   |
| PL-15630     | 15-630        | 6-Way Electrical Plug (Male)  |   |   |
| PL-15720     | 15-720        | 7-Way Electrical Socket (Female)  |   |   |
| PL-15730     | 15-730        | 7-Way Electrical Plug (Male)  |   |   |
| ProLine #    |               | MUD FLAPS & ACCESSORIES   |   |   |
| PL24X24R     | Chevron Style | MUD FLAPS: 24" X 24", 100% RUBBER, 1/4" THICK   |   |  |
| PL24X30R     | Chevron Style | MUD FLAPS: 24" X 30", 100% RUBBER, 1/4" THICK   |   |   |
| PL24X36R     | Chevron Style | MUD FLAPS: 24" X 36", 100% RUBBER, 1/4" THICK   |   |   |
| PLA25P       | 034-00426     | MUD FLAP HANGER: RIGHT ANGLE, SINGLE ARM  |   |   |
| PLA35P       | 034-00433     | MUD FLAP HANGER:SHORTIE RIGHT ANGLE, SINGLE ARM   |   |   |
| PLB23P       | 031-00123     | MUD FLAP HANGER: SQUARE TRIPLE COIL, SET  |   |   |
| PLB25P       | 031-00125     | MUD FLAP HANGER: RIGHT ANGLE, SET   |   |   |
| PLB35P       | 031-00135     | MUD FLAP HANGER: SHORTIE RIGHT ANGLE, SET   |   |   |
| ProLine #    | WEBB          | WHEEL HUBS  |   |   |
| PL1631ABS    |               | (10 Hole) Bolt Circle: 11 1/4"  |   |  |
| PL10019N     | 10019N™       | 10 Hole (Shoulder Studs)Bolt Circ:11 1/4" / Pilot Diam:9 7/16"                          |   |   |
| PL12213N     | 12213N™       | 10 Hole (Shoulder Studs)Bolt Circ:11 1/4" / Pilot Diam:9 7/16"                          |   |   |
| PL1320ZN     | 1320ZN™       | 10 Hole(Serrated Studs)Bolt Circ:11 1/4" /Pilot Diam:8 17/32"                           |   |   |
| PL10519N     | 10519N™       | 10 Hole (Shoulder Studs)Bolt Circ:8 3/4" / Pilot Diam:7 1/8"                            |   |   |
| PL10209N     | 10209N™       | 10 Hole(Serrated Studs)Bolt Circ:11 1/4" / Pilot Diam:8 17/32"                          |   |   |
| PL20231-0    | 20231-0™      | 10 Hole (Serrated Studs)Bolt Circ:11 1/4" / Pilot Diam:8 3/4"                           |   |   |
| PL20231-0ABS | 20231-0™      | (Serrated Studs w/ ABS Ring) Bolt Circ:11 1/4" / Pilot Diam: 8 3/4"                     |   |   |

| ProLine #   | TRAMEC    | AIR BRAKE HOSE ASSEMBLIES (GENUINE)                   |   |
|-------------|-----------|---|---|
| PL31002-018 | 31002-018 | Hose assembly, 3/8" Hose, 3/8" Ends, 18" Long, Swivel |  |
| PL31002-020 | 31002-020 | Hose assembly, 3/8" Hose, 3/8" Ends, 20" Long, Swivel |   |
| PL31002-024 | 31002-024 | Hose assembly, 3/8" Hose, 3/8" Ends, 24" Long, Swivel |   |
| PL31002-030 | 31002-030 | Hose assembly, 3/8" Hose, 3/8" Ends, 30" Long, Swivel |   |
| PL31002-036 | 31002-036 | Hose assembly, 3/8" Hose, 3/8" Ends, 36" Long, Swivel |   |
| PL31002-048 | 31002-048 | Hose assembly, 3/8" Hose, 3/8" Ends, 48" Long, Swivel |   |
| PL31002-060 | 31002-060 | Hose assembly, 3/8" Hose, 3/8" Ends, 60" Long, Swivel |   |
| PL31002-072 | 31002-072 | Hose assembly, 3/8" Hose, 3/8" Ends, 72" Long, Swivel |   |
| PL31005-018 | 31005-018 | Hose assembly, 3/8" Hose, 1/2" Ends, 18" Long, Swivel |   |
| PL31005-020 | 31005-020 | Hose assembly, 3/8" Hose, 1/2" Ends, 20" Long, Swivel |   |
| PL31005-024 | 31005-024 | Hose assembly, 3/8" Hose, 1/2" Ends, 24" Long, Swivel |   |
| PL31005-030 | 31005-030 | Hose assembly, 3/8" Hose, 1/2" Ends, 30" Long, Swivel |   |
| PL31005-036 | 31005-036 | Hose assembly, 3/8" Hose, 1/2" Ends, 36" Long, Swivel |   |
| PL31005-048 | 31005-048 | Hose assembly, 3/8" Hose, 1/2" Ends, 48" Long, Swivel |   |
| PL31005-060 | 31005-060 | Hose assembly, 3/8" Hose, 1/2" Ends, 60" Long, Swivel |   |
| PL31005-072 | 31005-072 | Hose assembly, 3/8" Hose, 1/2" Ends, 72" Long, Swivel |   |

**PROLINE # EUCLID / SIRCO BRAKE HARDWARE KIT (OEM MADE IN THE USA)**

|              |                    |  |  |
|--------------|--------------------|--|--|
| PHK1225D     | E-2030HD /         | Spicer Dana & Std. Forge 12.25" Kit for Cast Shoes HD                          |  |
| PHK1225D-50  |                    | Spicer Dana 12.25" Complete Brake Hardware Kit                                 |  |
| PHK1225D-51  | E-3373HD / LB-2    | Spicer Dana 12.25" Kit for Fabricated Shoes old style camshafts                |  |
| PHK1225D-52  | E-9281 / LB-9      | Spicer Dana 12.25" Kit for Fabricated Shoes old style camshafts                |  |
| PHK1225D-88  | E-10679            | Spicer Dana & Std. Forge 12.25" Kit for Cast Shoes Short Brake Hardware Kit    |  |
| PHK1225DU    | E-3782 / LB-6      | Spicer Dana 12.25" U Brake New Style   |  |
| PHK1225DU-53 | E-5306 / LB-7      | Spicer Dana 12.25" U Brake Old Style   |  |
| PHK1225DU-54 | E-9283 / LB-8      | Spicer Dana 12.25" U Brake New Style with Oversize Rollers                     |  |
| PHK1225DX    | E-10875            | Dexter 12.25" PQ Brake Kit   |  |
| PHK1225E     | E-2126 / LB-4      | Eaton 12.25" Single Anchor Pin Kit   |  |
| PHK1225F     | E-2286 / LB-5      | Fruehauf Pro-Par 12.25" Brake Hardware Kit                                     |  |
| PHK1225Q     | E-3484 / LB-3      | Rockwell 12.25" Q Brake Hardware Kit   |  |
| PHK1225SF    | E-2402HD / LB-1    | Standard Forge 12.25" Fabricated Shoes   |  |
| PHK1225SF-55 | E-2403HD           | Conversion Kit - Spicer Dana 12.25" Cast to Fabricated Shoes                   |  |
| PHK1308E     | E-5139 / EF-1      | 15" Eaton Front Axle EB & ES Series  |  |
| PHK1308Q     | E-3869 / RF-3      | Rockwell 15" Front Axle Q Brakes   |  |
| PHK1308Q-88  | E-7899 / RF-3A     | Rockwell 15" Front Axle Q Brakes   |  |
| PHK1308T     | E-4691 / RF-1ARK   | Rockwell 15" T Series Types 1 & 2  |  |
| PHK1308T-88  | E-6879 / RF-2RK    | Rockwell 15" T Series Types 1 & 2 Short Kit                                    |  |
| PHK1500B     | E-7231             | Bendix 15" Steer Axle  |  |
| PHK1535W     | E-2740             | Wagner 15" X 3.5"  |  |
| PHK1540W     | E-3291             | Wagner 15" X 4"  |  |
| PHK1657B     | E-7237             | Bendix 16.5" Truck   |  |
| PHK1657QFL   | E-9070 / MF-3      | Mack with Rockwell 16.5" Q Front Brake FL Series Hardware Kit                  |  |
| PHK1657QM    | E9644 / MF-2       | Mack with Rockwell 16.5 Q Front Brake  |  |
| PHK1800E     | E-2821 / EK-2      | Eaton 18" Single Anchor Pin Brake - Cast Shoes                                 |  |
| PHK4311E     | E-1887AHD / EK-1HD | Eaton 16.5" Single Anchor Pin Brake Hardware Kit with Heavy Duty Return Spring |  |
| PHK4311EHM   | E-3801 / EK-3      | Eaton 16.5" Single Anchor Pin Brake Ford High Mount                            |  |
| PHK4471B1    |                    | Meritor 18" with Old style cast shoes  |  |
| PHK4471B2    |                    | Meritor 18" with New style cast shoes  |  |



**PROLINE #****AIR SPRINGS (CROSS REFERENCE)**

|        |  |   |
|--------|--|---|
| PL8050 |  | BWP M-3510, DAYTON 10-98050, EUCLID E-FS8050, FIRESTONE 8050, GOODYEAR 1R14-039, HENDRICKSON B-4771             |
| PL8709 |  | BWP M-3560, DAYTON 10-98709, EUCLID E-FS8709, FIRESTONE 8709, GOODYEAR 1R13-159, HENDRICKSON S-21800            |
| PL9069 |  | BWP M-3512, DAYTON 10-99069, EUCLID E-FS9069, FIRESTONE 9069, GOODYEAR 1R12-069                                 |
| PL9082 |  | BWP M-3513, DAYTON 10-99082, EUCLID E-FS9082, FIRESTONE 9082, GOODYEAR 1R12-092, NEWAY 90557006, REYCO 12882-01 |
| PL9265 |  | BWP M-3524, DAYTON 10-99265, EUCLID E-FS9265, FIRESTONE 9265, GOODYEAR 1R12-375, HENDRICKSON C0124              |
| PL9270 |  | BWP M-3542, DAYTON 10-99270, EUCLID E-FS9270, FIRESTONE 9270, GOODYEAR 1R13-119, HENDRICKSON S-20010            |
| PL9422 |  | BWP M-3525, DAYTON 10-99422, EUCLID E-FS9422, FIRESTONE 9422, GOODYEAR R11-028                                  |
| PL9580 |  | BWP M-3564, DAYTON 10-99580, EUCLID E-FS9580, FIRESTONE 9580, GOODYEAR 1R13-118 HENDRICKSON S-2017              |
| PL9780 |  | BWP M-3550, DAYTON 10-99780, EUCLID E-FS9780, FIRESTONE 9780, GOODYEAR 1R12-303                                 |
| PL9781 |  | DAYTON 10-99781, EUCLID E-FS9781, FIRESTONE 9781, GOODYEAR 1R12-603   |

**PROLINE # CROSS****BOXED BRAKE SHOE KIT**

|             |                  |   |
|-------------|------------------|---|
| PWK4311E220 | EATON            | 20,000 LB, 16.5" X 7" REAR, W/ PK4311E HARDWARE KIT           |
| PWK4311E440 | EATON            | 23,000 LB, 16.5" X 7" REAR, W/ PK4311E HARDWARE KIT           |
| PWK4311E880 | EATON            | 23,000 LB SEVERE, 16.5" X 7" REAR, W/ PK4311E HARDWARE KIT    |
| PWK4515F220 | FRUEHAUF XEM3    | 20,000 LB, 16.5" X 7" REAR, W/ PK4515F-3 HARDWARE KIT         |
| PWK4515F440 | FRUEHAUF XEM3    | 23,000 LB, 16.5" X 7" REAR, W/ PK4515F-3 HARDWARE KIT         |
| PWK4515F880 | FRUEHAUF XEM3    | 23,000 LB SEVERE, 16.5" X 7" REAR, W/ PK4515F-3 HARDWARE KIT  |
| PWK4515Q220 | MACK / MERITOR Q | 20,000 LB, 16.5" X 7" REAR, W/ PK4515Q-3 HARDWARE KIT         |
| PWK4515Q440 | MACK / MERITOR Q | 23,000 LB, 16.5" X 7" REAR, W/ PK4515Q-3 HARDWARE KIT         |
| PWK4515Q880 | MACK / MERITOR Q | 23,000 LB SEVERE, 16.5" X 7" REAR, W/ PK4515Q-3 HARDWARE KIT  |
| PWK4707Q220 | MERITOR Q PLUS   | 20,000 LB, 16.5" X 7" REAR, W/ PK4515Q-3 HARDWARE KIT         |
| PWK4707Q440 | MERITOR Q PLUS   | 23,000 LB, 16.5" X 7" REAR, W/ PK4515Q-3 HARDWARE KIT         |
| PWK4707Q880 | MERITOR Q PLUS   | 23,000 LB SEVERE, 16.5" X 7" REAR, W/ PK4515Q-3 HARDWARE KIT  |
| PWK4709E220 | EATON ES II      | 20,000 LB, 16.5" X 7" REAR, W/ PK4709E-12 HARDWARE KIT        |
| PWK4709E440 | EATON ES II      | 23,000 LB, 16.5" X 7" REAR, W/ PK4709E-12 HARDWARE KIT        |
| PWK4709E880 | EATON ES II      | 23,000 LB SEVERE, 16.5" X 7" REAR, W/ PK4709E-12 HARDWARE KIT |

